

TENABLE NETWORK SECURITY, INC.

# Adobe AIR, Flash Player and Flash Media Server (PVS)

---

**May 26, 2012 at 9:07pm CDT**  
**Dave Breslin [dbreslin]**

Confidential: The following report contains confidential information. Do not distribute, email, fax, or transfer via any electronic mechanism unless it has been approved by the recipient company's security policy. All copies and backups of this document should be saved on protected storage at all times. Do not share any of the information contained within this report with anyone unless they are authorized to view the information. Violating any of the previous instructions is grounds for termination.




**TENABLE**  
Network Security®

# Table of Contents

<b>Summary</b> .....	<b>1</b>
<b>Adobe AIR</b> .....	<b>2</b>
<b>Adobe Flash Player</b> .....	<b>5</b>
<b>Adobe Flash Media Server</b> .....	<b>11</b>
<b>Adobe Related Vulnerabilities with Known Exploits</b> .....	<b>13</b>

# Summary

## 5 Day Vulnerability Trending - CVSS >= 4



# Adobe AIR

## Adobe AIR Host Detection

IP Address	NetBIOS Name	DNS Name	MAC Address
10.20.0.50	ITSDEPT\DT1032	dt1032.itsdept.com	08:00:27:20:13:14
10.20.0.61	ITSDEPT\DT1035	dt1035.itsdept.com	08:00:27:1b:f3:00
10.20.0.66	ITSDEPT\DT1052	dt1052.itsdept.com	08:00:27:1c:a7:52
192.168.4.22			
192.168.4.26			

## Vulnerability Summary - CVSS >= 4

Plugin	Total	Severity	Plugin Name	Family
5256	5	High	Adobe AIR < 1.5.3 Multiple Vulnerabilities (APSB09-19)	Web Clients
5109	3	High	Adobe AIR < 1.5.2 Multiple Vulnerabilities (APSB09-10)	Web Clients
4760	3	High	Adobe AIR APSB08-23 / APSB08-22 / APSB08-20 / APSB08-18 Multiple Vulnerabilities	Web Clients

## CVE Summary

CVE	Total	Severity
CVE-2007-4324	3	High
CVE-2007-6243	3	High
CVE-2008-3873	3	High
CVE-2008-4401	3	High
CVE-2008-4818	3	High
CVE-2008-4819	3	High
CVE-2008-4820	3	High
CVE-2008-4821	3	High
CVE-2008-4822	3	High
CVE-2008-4823	3	High

Adobe AIR

CVE	Total	Severity
CVE-2008-4824	3	High
CVE-2008-5108	3	High
CVE-2009-1862	3	High
CVE-2009-1863	3	High
CVE-2009-1864	3	High
CVE-2009-1865	3	High
CVE-2009-1866	3	High
CVE-2009-1867	3	High
CVE-2009-1868	3	High
CVE-2009-1869	3	High
CVE-2009-1870	3	High
CVE-2009-3794	5	High
CVE-2009-3796	5	High
CVE-2009-3797	5	High
CVE-2009-3798	5	High
CVE-2009-3799	5	High
CVE-2009-3800	5	High
CVE-2009-3951	5	High


**Vulnerabilities by Location - CVSS >= 4**

Asset	Total
HQ 2nd Floor	9
Wireless-Guest	2
Wireless-3	0
Wireless-2	0
HQ 4th Floor	0
HQ 3rd Floor	0
HQ 1st Floor	0
Wireless-1	0

**Vulnerabilities by Subnet - CVSS >= 4**

IP Address	Total
10.20.0.0/24	9
192.168.4.0/24	2

### 5 Day Vulnerability Trend by CVSS Ranges



# Adobe Flash Player

## Adobe Flash Player Host Detection

IP Address	NetBIOS Name	DNS Name	MAC Address
10.20.0.15	ITSDEPT\DT1002	dt1002.itsdept.com	08:00:27:41:10:e7
10.20.0.21	ITSDEPT\DT1003	dt1003.itsdept.com	08:00:27:23:12:32
10.20.0.30	ITSDEPT\DT1007	dt1007.itsdept.com	08:00:27:41:2b:1f
10.20.0.50	ITSDEPT\DT1032	dt1032.itsdept.com	08:00:27:20:13:14
10.20.0.61	ITSDEPT\DT1035	dt1035.itsdept.com	08:00:27:1b:f3:00
10.20.0.66	ITSDEPT\DT1052	dt1052.itsdept.com	08:00:27:1c:a7:52
192.168.1.113	ITSDEPT\LT2447	lt2447.itsdept.com	00:25:D3:41:2b:1f
192.168.2.12	ITSDEPT\MA5005	ma5005.itsdept.com	60:c5:47:22:a2:1b
192.168.4.22			
192.168.4.26			

## Vulnerability Summary - CVSS >= 4

Plugin	Total	Severity	Plugin Name	Family
6097	5	High	Flash Player < 10.3.183.11 / 11.1.102.55 Multiple Vulnerabilities (APSB11-26)	Web Clients
6025	5	High	Flash Player < 10.3.183.10 Multiple Vulnerabilities (APSB11-26)	Web Clients
6001	4	High	Flash Player < 10.3.183.5 Multiple Vulnerabilities (APSB11-21)	Web Clients
5967	3	High	Flash Player < 10.3.181.26 Code Execution Vulnerability (APSB11-18)	Web Clients
5941	3	Medium	Flash Player < 10.3.181.22 Cross-Site Scripting (APSB11-13)	Web Clients
5916	3	High	Flash Player < 10.3.181.14 Multiple Vulnerabilities (APSB11-12)	Web Clients

Adobe Flash Player

Plugin	Total	Severity	Plugin Name	Family
5892	3	High	Flash Player < 10.2.159.1 Unspecified Memory Corruption (APSB11-07)	Web Clients
5827	3	High	Flash Player < 10.2.152.33 Unspecified Memory Corruption (APSB11-05)	Web Clients
5781	3	High	Flash Player < 10.2.152.26 Multiple Vulnerabilities (APSB11-02)	Web Clients
5699	3	High	Flash Player Multiple Vulnerabilities (APSB10-26)	Web Clients
5670	3	High	Flash Player Unspecified Code Execution (APSB10-22)	Web Clients
5625	3	High	Flash Player Multiple Vulnerabilities (APSB10-16)	Web Clients
5569	3	High	Flash Player Multiple Vulnerabilities (APSB10-14)	Web Clients

**CVE Summary**

CVE	Total	Severity
CVE-2008-4546	3	High
CVE-2009-3793	3	High
CVE-2010-0209	3	High
CVE-2010-1297	3	High
CVE-2010-2160	3	High
CVE-2010-2161	3	High
CVE-2010-2162	3	High
CVE-2010-2163	3	High
CVE-2010-2164	3	High
CVE-2010-2165	3	High
CVE-2010-2166	3	High
CVE-2010-2167	3	High
CVE-2010-2169	3	High
CVE-2010-2170	3	High
CVE-2010-2171	3	High



CVE	Total	Severity
CVE-2010-2172	3	High
CVE-2010-2173	3	High
CVE-2010-2174	3	High
CVE-2010-2175	3	High
CVE-2010-2176	3	High
CVE-2010-2177	3	High
CVE-2010-2178	3	High
CVE-2010-2179	3	High
CVE-2010-2180	3	High
CVE-2010-2181	3	High
CVE-2010-2182	3	High
CVE-2010-2183	3	High
CVE-2010-2184	3	High
CVE-2010-2185	3	High
CVE-2010-2186	3	High
CVE-2010-2187	3	High
CVE-2010-2188	6	High
CVE-2010-2189	3	High
CVE-2010-2213	3	High
CVE-2010-2214	3	High
CVE-2010-2215	3	High
CVE-2010-2216	3	High
CVE-2010-3636	3	High
CVE-2010-3637	3	High
CVE-2010-3638	3	High
CVE-2010-3639	3	High
CVE-2010-3640	3	High
CVE-2010-3641	3	High
CVE-2010-3642	3	High
CVE-2010-3643	3	High
CVE-2010-3644	3	High
CVE-2010-3645	3	High
CVE-2010-3646	3	High
CVE-2010-3647	3	High
CVE-2010-3648	3	High
CVE-2010-3649	3	High
CVE-2010-3650	3	High
CVE-2010-3652	3	High
CVE-2010-3654	3	High
CVE-2010-3976	3	High
CVE-2011-0558	3	High
CVE-2011-0559	3	High
CVE-2011-0560	3	High

CVE	Total	Severity
CVE-2011-0561	3	High
CVE-2011-0571	3	High
CVE-2011-0572	3	High
CVE-2011-0573	3	High
CVE-2011-0574	3	High
CVE-2011-0575	3	High
CVE-2011-0577	3	High
CVE-2011-0578	3	High
CVE-2011-0589	3	High
CVE-2011-0607	3	High
CVE-2011-0608	3	High
CVE-2011-0618	3	High
CVE-2011-0619	3	High
CVE-2011-0620	3	High
CVE-2011-0621	3	High
CVE-2011-0622	3	High
CVE-2011-0623	3	High
CVE-2011-0624	3	High
CVE-2011-0625	3	High
CVE-2011-0626	3	High
CVE-2011-0627	3	High
CVE-2011-0628	3	High
CVE-2011-2130	4	High
CVE-2011-2134	4	High
CVE-2011-2135	4	High
CVE-2011-2136	4	High
CVE-2011-2137	4	High
CVE-2011-2138	4	High
CVE-2011-2139	4	High
CVE-2011-2140	4	High
CVE-2011-2414	4	High
CVE-2011-2415	4	High
CVE-2011-2416	4	High
CVE-2011-2417	4	High
CVE-2011-2425	4	High
CVE-2011-2426	5	High
CVE-2011-2427	5	High
CVE-2011-2428	5	High
CVE-2011-2429	5	High
CVE-2011-2430	5	High
CVE-2011-2444	5	High
CVE-2011-2445	5	High
CVE-2011-2450	5	High

Adobe Flash Player

CVE	Total	Severity
CVE-2011-2451	5	High
CVE-2011-2452	5	High
CVE-2011-2453	5	High
CVE-2011-2454	5	High
CVE-2011-2455	5	High
CVE-2011-2456	5	High
CVE-2011-2457	5	High
CVE-2011-2458	5	High
CVE-2011-2459	5	High
CVE-2011-2460	5	High


**Vulnerabilities by Location - CVSS >= 4**

Asset	Total
HQ 2nd Floor	39
Wireless-1	3
Wireless-2	2
Wireless-Guest	0
Wireless-3	0
HQ 4th Floor	0
HQ 3rd Floor	0
HQ 1st Floor	0

**Vulnerabilities by Subnet - CVSS >= 4**

IP Address	Total
10.20.0.0/24	39
192.168.1.0/24	3
192.168.2.0/24	2

### 5 Day Vulnerability Trend by CVSS Ranges



# Adobe Flash Media Server

## Adobe Flash Media Server Host Detection

IP Address	NetBIOS Name	DNS Name	MAC Address
10.10.0.5	ITSDEPT\HR-EDU1	hr-edu1.itsdept.com	00:26:18:12:61:2d
10.10.0.6	ITSDEPT\HR-EDU2	hr-edu2.itsdept.com	00:26:18:1d:3e:43

## Vulnerability Summary - CVSS >= 4

Plugin	Total	Severity	Plugin Name	Family
6002	2	High	Adobe Flash Media server < 3.5.7 / 4.0.3 Multiple Vulnerabilities (APSB11-20)	Web Servers
5283	4	High	Adobe Flash Media Server < 3.0.5 / 3.5.3 Multiple Vulnerabilities (APSB09-018) (RTMP over HTTP)	Web Servers
5011	4	High	Flash Media < 3.0.4/3.5.2 Privilege Escalation	Web Servers

## CVE Summary

CVE	Total	Severity
CVE-2009-3791	4	High
CVE-2009-3792	4	High

## Vulnerabilities by Location - CVSS >= 4

Asset	Total
HQ 1st Floor	10
Wireless-3	0
Wireless-Guest	0
Wireless-2	0
HQ 4th Floor	0
HQ 2nd Floor	0


Adobe Flash Media Server

Asset	Total
HQ 3rd Floor	0
Wireless-1	0

**Vulnerabilities by Subnet - CVSS >= 4**


IP Address	Total
10.10.0.0/24	10

**5 Day Vulnerability Trend by CVSS Ranges**



# Adobe Related Vulnerabilities with Known Exploits

## 5 Day Exploitable Vulnerability Trend - Medium, High & Critical Vulnerability Severity



**Hosts with Exploitable Vulnerabilities - Medium, High & Critical Vulnerability Severity**

IP Address	NetBIOS Name	DNS Name	MAC Address	Med.	High	Crit.
10.20.0.15	ITSDEPT\DT1002	dt1002.itsdept.com	08:00:27:41:10:e7	0	7	0
10.20.0.21	ITSDEPT\DT1003	dt1003.itsdept.com	08:00:27:23:12:32	0	7	0
10.20.0.30	ITSDEPT\DT1007	dt1007.itsdept.com	08:00:27:41:2b:1f	0	7	0
10.20.0.50	ITSDEPT\DT1032	dt1032.itsdept.com	08:00:27:20:13:14	0	1	0
10.20.0.61	ITSDEPT\DT1035	dt1035.itsdept.com	08:00:27:1b:f3:00	0	1	0
10.20.0.66	ITSDEPT\DT1052	dt1052.itsdept.com	08:00:27:1c:a7:52	0	1	0
192.168.1.113	ITSDEPT\LT2447	lt2447.itsdept.com	00:25:D3:41:2b:1f	0	1	0

**Vulnerabilities with Known Exploits - Medium, High and Critical Vulnerability Severity**

Plugin	Total	Severity	Plugin Name	Family
6001	4	High	Flash Player < 10.3.183.5 Multiple Vulnerabilities (APSB11-21)	Web Clients
5967	3	High	Flash Player < 10.3.181.26 Code Execution Vulnerability (APSB11-18)	Web Clients
5892	3	High	Flash Player < 10.2.159.1 Unspecified Memory Corruption (APSB11-07)	Web Clients
5827	3	High	Flash Player < 10.2.152.33 Unspecified Memory Corruption (APSB11-05)	Web Clients
5699	3	High	Flash Player Multiple Vulnerabilities (APSB10-26)	Web Clients
5670	3	High	Flash Player Unspecified Code Execution (APSB10-22)	Web Clients
5569	3	High	Flash Player Multiple Vulnerabilities (APSB10-14)	Web Clients
5109	3	High	Adobe AIR < 1.5.2 Multiple Vulnerabilities (APSB09-10)	Web Clients

Adobe Related Vulnerabilities with Known Exploits