

TENABLE NETWORK SECURITY, INC.

Antivirus Software Check

May 14, 2012 at 8:00pm CDT
[dbreslin7]

Confidential: The following report contains confidential information. Do not distribute, email, fax, or transfer via any electronic mechanism unless it has been approved by the recipient company's security policy. All copies and backups of this document should be saved on protected storage at all times. Do not share any of the information contained within this report with anyone unless they are authorized to view the information. Violating any of the previous instructions is grounds for termination.



TENABLE
Network Security®

Table of Contents

7 Day Trend of Antivirus Check Results 1

Antivirus Check Results 2

Antivirus Check Fails Grouped by Subnet and Location 4

Antivirus Check Fails Grouped by Host 5

10.10.0.45 6

10.20.0.100 7

10.40.0.201 8

10.60.1.15 9

10.70.5.75 10

10.80.5.7 11

10.90.0.3 12

10.100.0.9 13

10.110.0.20 14

10.110.2.9 15


10.120.0.36 16

10.200.100.64 17

10.200.100.98 18


7 Day Trend of Antivirus Check Results

7 Day Trend



Antivirus Check Results

Antivirus Check Pass and Fails



■ 16193	26	66.67%
■ 56568	1	2.56%
■ 54846	1	2.56%
■ 52668	1	2.56%
■ 52544	1	2.56%
■ 24232	1	2.56%
■ 21725	1	2.56%
■ 21608	1	2.56%
■ 20284	1	2.56%
■ 20283	1	2.56%
■ 16192	1	2.56%
■ 12215	1	2.56%
■ 12107	1	2.56%
■ 12106	1	2.56%

Antivirus Check Pass Total

Plugin	Total	Severity	Plugin Name	Family
16193	26	Info	Antivirus Software Check	Windows

Antivirus Check Fail Totals

Plugin	Total	Severity	Plugin Name	Family
56568	1	Critical	Mac OS X XProtect Installed	MacOS X Local Security Checks
54846	1	Critical	Sophos Anti-Virus Detection (Mac OS X)	MacOS X Local Security Checks
52668	1	Critical	F-Secure Antivirus Detection	Windows
52544	1	Critical	Microsoft Forefront Endpoint Protection/ Anti-malware Client Detection	Windows
24232	1	Critical	BitDefender Antivirus Detection	Windows
21725	1	Critical	Symantec Antivirus Detection (Corporate Edition)	Windows
21608	1	Critical	ESET NOD32 Antivirus Detection	Windows
20284	1	Critical	Kaspersky Anti-Virus Detection	Windows
20283	1	Critical	Panda Antivirus Detection	Windows
16192	1	Critical	Trend Micro Antivirus Detection	Windows
12215	1	Critical	Sophos Anti-Virus Detection	Windows
12107	1	Critical	McAfee Antivirus Detection	Windows
12106	1	Critical	Norton Antivirus Detection	Windows

Antivirus Check Fails Grouped by Subnet and Location

Fails Grouped by Subnet

IP Address	Total
10.10.0.0/24	1
10.20.0.0/24	1
10.40.0.0/24	1
10.60.1.0/24	1
10.70.5.0/24	1
10.80.5.0/24	1
10.90.0.0/24	1
10.100.0.0/24	1
10.110.0.0/24	1
10.110.2.0/24	1
10.120.0.0/24	1
10.200.100.0/24	2

Fails Grouped by Location

Asset	Total
HQ	6
Chicago Contact Center	4
Milton Keynes Contact Center	3

Antivirus Check Fails Grouped by Host

Host Fail Summary

IP Address	NetBIOS Name	DNS Name	MAC Address
10.10.0.45	ITSDEPT\DT1013	dt1013.itsdept.com	08:00:27:14:ca:10
10.20.0.100	ITSDEPT\DT2099	dt2099.itsdept.com	08:00:27:10:2b:00
10.40.0.201	ITSDEPT\DT4113	dt4113.itsdept.com	08:00:27:30:1b:f2
10.60.1.15	ITSDEPT\DT6120	dt6120.itsdept.com	08:00:27:41:88:e7
10.70.5.75	ITSDEPT\DT7440	dt7440.itsdept.com	08:00:27:98:51:a1
10.80.5.7	ITSDEPT\DT8773	dt8773.itsdept.com	08:00:27:b1:81:f2
10.90.0.3	ITSDEPT\DT9002	dt9002.itsdept.com	08:00:27:9e:1e:2c
10.100.0.9	ITSDEPT\LT1004	lt1004.itsdept.com	00:26:18:34:71:7a
10.110.0.20	ITSDEPT\LT2010	lt2010.itsdept.com	08:00:27:13:19:27
10.110.2.9	ITSDEPT\LT2051	lt2051.itsdept.com	00:25:d3:07:7b:15
10.120.0.36	ITSDEPT\LT3010	lt3010.itsdept.com	08:00:27:43:89:f2
10.200.100.64	UNKNOWN\MM0014	mm0014.itsdept.com	60:c5:47:22:14:3f
10.200.100.98	UNKNOWN\MM0031	mm0031.itsdept.com	60:c5:47:5b:10:11

10.10.0.45

NetBIOS Name: ITSDEPT\DT1013
Vulnerabilities: Critical: 1, High: 44, Medium: 16, Low: 5, Info: 106
DNS Name: dt1013.itsdept.com
Last Scan: May 13, 2012 @ 10:06AM

Host Fail Details

Plugin	Plugin Name	Severity	Family
12106	Norton Antivirus Detection	Critical	Windows
<p>Synopsis: An antivirus is installed on the remote host, but it is not working properly.</p> <p>Description: Norton Anti-Virus, a commercial anti-virus software package for Windows, is installed on the remote host. However, there is a problem with the install - either its services are not running or its engine and/or virus definition are out-of-date.</p> <p>Solution: Make sure updates are working and the associated services are running.</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C</p> <p>Plugin Output:</p> <p>The remote host has the Norton Antivirus installed. It has been fingerprinted as :</p> <p>Norton/Symantec Antivirus 15.0.0.58 DAT version : 20070820</p> <p>The remote host has an out-dated version of the Norton virus database. Last version is 20120501</p> <p>The remote Norton AntiVirus is not running.</p> <p>As a result, the remote host might be infected by viruses received by email or other means.</p> <p>Plugin Publication Date: 2004/03/16</p> <p>Plugin Modification Date: 2012/05/02</p> <p>Plugin Type: local</p> <p>Source File: nav_installed.nasl</p>			

10.20.0.100

NetBIOS Name: ITSDEPT\DT2099
Vulnerabilities: Critical: 1, High: 44, Medium: 16, Low: 5, Info: 102
DNS Name: dt2099.itsdept.com
Last Scan: May 13, 2012 @ 10:17AM

Host Fail Details

Plugin	Plugin Name	Severity	Family
20284	Kaspersky Anti-Virus Detection	Critical	Windows
<p>Synopsis: An antivirus is installed on the remote host, but it is not working properly.</p> <p>Description: Kaspersky Anti-Virus, a commercial anti-virus software package for Windows, is installed on the remote host. However, there is a problem with the install - either its services are not running or its engine and/or virus definitions are out-of-date.</p> <p>Solution: Make sure updates are working and the associated services are running.</p> <p>See Also: http://www.kaspersky.com/</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C</p> <p>Plugin Output: Kaspersky Anti-Virus is installed on the remote host :</p> <p>Product Name: .=B828@CA .0A?5@A:&gt;3&gt;;O Windows Workstations Version: 6.0.2.678 Installation Path: C:\Program Files\Kaspersky Lab\Kaspersky Anti-Virus 6.0 for Windows Workstations Virus signatures: 03/05/2007</p> <p>The virus signatures on the remote host are out-of-date - the last known update from the vendor is 05/02/2012</p> <p>The remote Kaspersky Anti-Virus service is not running.</p> <p>As a result, the remote host might be infected by viruses.</p> <p>Plugin Publication Date: 2005/12/09</p> <p>Plugin Modification Date: 2012/05/02</p> <p>Plugin Type: local</p> <p>Source File: kaspersky_installed.nasl</p>			

10.40.0.201

NetBIOS Name: ITSDEPT\DT4113
Vulnerabilities: Critical: 1, High: 40, Medium: 16, Low: 5, Info: 102
DNS Name: dt4113.itsdept.com
Last Scan: May 13, 2012 @ 10:32AM

Host Fail Details

Plugin	Plugin Name	Severity	Family
52544	Microsoft Forefront Endpoint Protection/ Anti-malware Client Detection	Critical	Windows
<p>Synopsis: An antivirus or anti-malware is installed on the remote host, but it is not working properly.</p> <p>Description: Microsoft Forefront Endpoint Protection or other anti-malware product from Microsoft is installed on the remote host. However, there is a problem with the install - either its services are not running or its engine and/or virus definitions are out-of-date.</p> <p>Solution: Make sure updates are working and the associated services are running.</p> <p>See Also: http://www.nessus.org/u?8dfaf4e2</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:I/C/A:C</p> <p>Plugin Output:</p> <p>A Microsoft anti-malware product is installed on the remote host :</p> <p>Product name : Microsoft Security Client Path : c:\Program Files\Microsoft Security Client\Antimalware\ Version : 2.2.0903.0</p> <p>It was not possible to determine whether antivirus signatures are up-to-date. It was not possible to determine whether Antispyware signatures are up-to-date. It was not possible to determine the engine version for the antivirus software.</p> <p>As a result, the remote host might be infected by viruses received by email or other means.</p> <p>Plugin Publication Date: 2011/03/04</p> <p>Plugin Modification Date: 2012/05/02</p> <p>Plugin Type: local</p> <p>Source File: fep_installed.nasl</p>			

10.60.1.15

NetBIOS Name: ITSDEPT\DT6120
Vulnerabilities: Critical: 1, High: 41, Medium: 18, Low: 5, Info: 104
DNS Name: dt6120.itsdept.com
Last Scan: May 13, 2012 @ 10:43AM

Host Fail Details

Plugin	Plugin Name	Severity	Family
24232	BitDefender Antivirus Detection	Critical	Windows
<p>Synopsis: An antivirus is installed on the remote host, but it is not working properly.</p> <p>Description: BitDefender, a commercial antivirus software package for Windows, is installed on the remote host. However, there is a problem with the install - either its services are not running or its engine and/or virus definition are out-of-date.</p> <p>Solution: Make sure updates are working and the associated services are running.</p> <p>See Also: http://www.bitdefender.com/</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C</p> <p>Plugin Output: BitDefender is installed on the remote host : Product name : unknown Version : unknown Installation path : C:\Program Files\Softwin\BitDefender10 Signature number : 532320 Signature update : Mon Apr 16 17:52:28 2007 Engine : 7.12435</p> <p>The virus signatures on the remote host are out-of-date - the last known update from the vendor is signature number 7126243.</p> <p>As a result, the remote host might be infected by viruses.</p> <p>Plugin Publication Date: 2007/01/22</p> <p>Plugin Modification Date: 2012/05/02</p> <p>Plugin Type: local</p> <p>Source File: bitdefender_installed.nasl</p>			

10.70.5.75

NetBIOS Name: ITSDEPT\DT7440
Vulnerabilities: Critical: 1, High: 42, Medium: 17, Low: 5, Info: 108
DNS Name: dt7440.itsdept.com
Last Scan: May 13, 2012 @ 11:04AM

Host Fail Details

Plugin	Plugin Name	Severity	Family
12107	McAfee Antivirus Detection	Critical	Windows
<p>Synopsis: The remote antivirus is not up to date.</p> <p>Description: The remote host is running McAfee VirusScan Antivirus. The remote version of this software is not up to date (engine and/or virus definitions). It may allow an infection of the remote host by a virus or a worm.</p> <p>Solution: Update your virus definitions and/or antivirus engine</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:I/C/A:C</p> <p>Plugin Output:</p> <p>The remote host has the McAfee antivirus installed.</p> <p>Engine version : 5100.194 DAT version : 4834 Updated date : 2006/08/21 ePO Agent : not present.</p> <p>The remote host has an out-dated version of the McAfee virus engine. Latest version is 5400</p> <p>The remote host has an out-dated version of the McAfee virus database. Latest version is 6698</p> <p>Plugin Publication Date: 2004/03/16</p> <p>Plugin Modification Date: 2012/05/02</p> <p>Plugin Type: local</p> <p>Source File: mcafee_installed.nasl</p>			

10.80.5.7

NetBIOS Name: ITSDEPT\DT8773
Vulnerabilities: Critical: 1, High: 42, Medium: 16, Low: 5, Info: 103
DNS Name: dt8773.itsdept.com
Last Scan: May 13, 2012 @ 11:13AM

Host Fail Details

Plugin	Plugin Name	Severity	Family
20283	Panda Antivirus Detection	Critical	Windows
<p>Synopsis: An antivirus is installed on the remote host, but it is not working properly.</p> <p>Description: Panda Anti-Virus, a commercial antivirus software package for Windows, is installed on the remote host. However, there is a problem with the install - either its services are not running or its engine or virus definitions are out-of-date.</p> <p>Solution: Make sure updates are working and the associated services are running.</p> <p>See Also: http://www.pandasoftware.com/</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C</p> <p>Plugin Output: Panda Antivirus is installed on the remote host :</p> <p>Product Name: Panda Antivirus Pro 2010 Version: 9.01.00.0000 Installation Path: C:\Program Files\Panda Security\Panda Antivirus Pro 2010\ Virus signatures: 10-15-2009</p> <p>The virus signatures on the remote host are out-of-date - the last known update from the vendor is 05-01-2012</p> <p>As a result, the remote host might be infected by viruses.</p> <p>Plugin Publication Date: 2005/12/09</p> <p>Plugin Modification Date: 2012/05/02</p> <p>Plugin Type: local</p> <p>Source File: panda_antivirus_installed.nasl</p>			

10.90.0.3

NetBIOS Name: ITSDEPT\DT9002
Vulnerabilities: Critical: 1, High: 42, Medium: 16, Low: 5, Info: 147
DNS Name: dt9002.itsdept.com
Last Scan: May 13, 2012 @ 11:37AM

Host Fail Details

Plugin	Plugin Name	Severity	Family
12215	Sophos Anti-Virus Detection	Critical	Windows
<p>Synopsis: An antivirus is installed on the remote host, but it is not working properly.</p> <p>Description: Sophos Anti-Virus, a commercial antivirus software package for Windows, is installed on the remote host. However, there is a problem with the install - either its services are not running or its engine and/or virus definition are out of date.</p> <p>Solution: Make sure updates are working and the associated services are running.</p> <p>See Also: http://www.sophos.com/</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C</p> <p>Plugin Output: Sophos Anti-Virus is installed on the remote host :</p> <p>Installation path : c:\Program Files\Sophos\Sophos Anti-Virus Product version : 10.0.4 Engine version : 3.31.20.1956 Virus signatures last updated : never</p> <p>The virus signatures on the remote host have never been updated! The last update from the vendor was on 2012/05/02.</p> <p>As a result, the remote host might be infected by viruses.</p> <p>CPE: cpe:/a:sophos:sophos_anti-virus</p> <p>Plugin Publication Date: 2004/04/26</p> <p>Plugin Modification Date: 2012/05/02</p> <p>Plugin Type: local</p> <p>Source File: sophos_installed.nasl</p>			

10.100.0.9

NetBIOS Name: ITSDEPT\LT1004
Vulnerabilities: Critical: 1, High: 46, Medium: 16, Low: 5, Info: 114
DNS Name: lt1004.itsdept.com
Last Scan: May 13, 2012 @ 12:25PM

Host Fail Details

Plugin	Plugin Name	Severity	Family
16192	Trend Micro Antivirus Detection	Critical	Windows
<p>Synopsis: An antivirus is installed on the remote host, but it is not working properly.</p> <p>Description: Trend Micro Antivirus, a commercial antivirus software package for Windows, is installed on the remote host, but it is not working properly.</p> <p>Solution: Make sure updates are working and the associated services are running.</p> <p>See Also: http://www.trendmicro.com/</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C</p> <p>Plugin Output: Nessus has gathered the following information about the installation of Trend Micro AntiVirus on the remote host :</p> <p>Trend Micro AntiVirus : 8.0 Engine version : 8710 Virus Def version : 822 Virus database : 20040315</p> <p>The remote host is using an outdated virus engine - 9500 is current.</p> <p>The remote host is using an outdated virus database - 20120501 is current.</p> <p>As a result, the remote host might be infected by viruses received via email or some other means.</p> <p>Plugin Publication Date: 2005/01/18</p> <p>Plugin Modification Date: 2012/05/02</p> <p>Plugin Type: local</p> <p>Source File: trendmicro_installed.nasl</p>			

10.110.0.20

NetBIOS Name: ITSDEPT\LT2010
Vulnerabilities: Critical: 1, High: 40, Medium: 16, Low: 5, Info: 97
DNS Name: lt2010.itsdept.com
Last Scan: May 13, 2012 @ 9:06PM

Host Fail Details

Plugin	Plugin Name	Severity	Family
21608	ESET NOD32 Antivirus Detection	Critical	Windows
<p>Synopsis: An antivirus is installed on the remote host, but it is not working properly.</p> <p>Description: NOD32 Antivirus, a commercial antivirus software package for Windows, is installed on the remote host. However, there is a problem with the install - either its services are not running or its engine and/or virus definition are out of date.</p> <p>Solution: Make sure updates are working and the associated services are running.</p> <p>See Also: http://www.nod32.com/</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:I/C/A:C</p> <p>Plugin Output: The NOD32 Antivirus System is installed on the remote host :</p> <p>Version: 5.0.94.0 Installation Path: C:\Program Files\ESET\ESET NOD32 Antivirus Virus signatures: 6484 (20110922)</p> <p>The virus signatures on the remote host are out-of-date - the last known update from the vendor is 20120501.</p> <p>As a result, the remote host might be infected by viruses.</p> <p>Plugin Publication Date: 2006/05/27</p> <p>Plugin Modification Date: 2012/05/02</p> <p>Plugin Type: local</p> <p>Source File: nod32_installed.nasl</p>			

10.110.2.9

NetBIOS Name: ITSDEPT\LT2051
Vulnerabilities: Critical: 1, High: 42, Medium: 22, Low: 7, Info: 148
DNS Name: lt2051.itsdept.com
Last Scan: May 13, 2012 @ 12:11PM

Host Fail Details

Plugin	Plugin Name	Severity	Family
21725	Symantec Antivirus Detection (Corporate Edition)	Critical	Windows
<p>Synopsis: Symantec Antivirus Corporate is installed.</p> <p>Description: This plugin checks that the remote host has Symantec Antivirus Corporate installed and properly running, and makes sure that the latest Vdefs are loaded.</p> <p>Solution: Make sure SAVCE is installed, running and using the latest VDEFS.</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:I/C/A:C</p> <p>Plugin Output:</p> <p>The remote host has an antivirus software from Symantec installed. It has been fingerprinted as :</p> <p>Symantec Endpoint Protection : 12.1.1101.401 DAT version : 20120405</p> <p>The remote host has an out-dated version of the Symantec Corporate virus signatures. Last version is 20120501</p> <p>As a result, the remote host might be infected by viruses received by email or other means.</p> <p>Plugin Publication Date: 2006/06/16</p> <p>Plugin Modification Date: 2012/05/02</p> <p>Plugin Type: local</p> <p>Source File: savce_installed.nasl</p>			

10.120.0.36

NetBIOS Name: ITSDEPT\LT3010
Vulnerabilities: Critical: 1, High: 36, Medium: 15, Low: 5, Info: 101
DNS Name: lt3010.itsdept.com
Last Scan: May 13, 2012 @ 10:32PM

Host Fail Details

Plugin	Plugin Name	Severity	Family
52668	F-Secure Antivirus Detection	Critical	Windows
<p>Synopsis: An antivirus product is installed on the remote host, but it is not working properly.</p> <p>Description: F-Secure Antivirus is installed on the remote host, however according to its status obtained via querying 'polutil.exe' it is not active and/or definitions are not up to date.</p> <p>Solution: Make sure the application is running and automatic updates are enabled.</p> <p>See Also: http://www.nessus.org/u?eaaffa37</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C</p> <p>Plugin Output: Antivirus status is not active and/or up to date.</p> <p>Definition Serial Number : 2008-03-24_01 Current POLUTIL.exe Status : 19 Expected POLUTIL.exe Status : 32</p> <p>As a result, the remote host might be infected by viruses received by email or other means.</p> <p>Plugin Publication Date: 2011/03/14</p> <p>Plugin Modification Date: 2011/03/15</p> <p>Plugin Type: local</p> <p>Source File: wmi_fsecure_av_check.nbin</p>			

10.200.100.64

NetBIOS Name: UNKNOWNMM0014
Vulnerabilities: Critical: 2, High: 17, Medium: 2, Low: 0, Info: 43
DNS Name: mm0014.itsdept.com
Last Scan: May 13, 2012 @ 12:32PM

Host Fail Details

Plugin	Plugin Name	Severity	Family
54846	Sophos Anti-Virus Detection (Mac OS X)	Critical	MacOS X Local Security Checks
<p>Synopsis: An antivirus program is installed on the remote host, but the program does not function properly.</p> <p>Description: Sophos Anti-Virus for Mac OS X, a commercial antivirus software package, is installed on the remote host. There is a problem with the install - either its services are not running or its engine and/or virus definitions are out of date.</p> <p>Solution: Make sure updates are working and the associated services are running.</p> <p>See Also: http://www.sophos.com/</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C</p> <p>Plugin Output: Sophos Anti-Virus version : Installed version : 8.0.2 Sophos Anti-Virus Virus Definitions : Installed version : 4.76.0 Sophos has not been updated since it was installed. As a result, the remote host might be infected by viruses.</p> <p>Plugin Publication Date: 2011/05/27</p> <p>Plugin Modification Date: 2012/04/06</p> <p>Plugin Type: local</p> <p>Source File: macosx_sophos_installed.nasl</p>			

10.200.100.98

NetBIOS Name: UNKNOWNMM0031
Vulnerabilities: Critical: 2, High: 17, Medium: 2, Low: 0, Info: 43
DNS Name: mm0031.itsdept.com
Last Scan: May 13, 2012 @ 9:47PM

Host Fail Details

Plugin	Plugin Name	Severity	Family
56568	Mac OS X XProtect Installed	Critical	MacOS X Local Security Checks
<p>Synopsis: An antivirus program is installed on the remote host, but the program does not function properly.</p> <p>Description: There is a problem with the installation of the Apple XProtect application on the remote Mac OS X host - either updates are not enabled / running or its definitions are out of date.</p> <p>Solution: Make sure updates are working and the associated services are running.</p> <p>See Also: http://en.wikipedia.org/wiki/Xprotect</p> <p>Risk Factor: Critical</p> <p>CVSS Base Score: 10.0</p> <p>CVSS Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C</p> <p>Plugin Output: The remote Mac OS X host includes Apple's XProtect software.</p> <p>Safe Download definitions : Last updated : Mon, 02 Apr 2012 21:09:30 GMT Current version : 1026</p> <p>The XProtectUpdater daemon does not exist or is an empty file.</p> <p>Plugin Publication Date: 2011/10/20</p> <p>Plugin Modification Date: 2012/04/03</p> <p>Plugin Type: local</p> <p>Source File: macosx_xprotect_installed.nasl</p>			